

# ROOFING WARRANTIES

## POLYURETHANE FOAM/COATINGS SYSTEMS

TYPE	COVERAGE	D.F.T*	BENEFICIARY	COST	INSPECTION
5-Year Standard	Coating Only	18-24 (457 - 610 microns)	Building Owner	-0-	None Required (1)
10-Year Standard	Coating Only	24-35 (610 - 889 microns)	Building Owner	-0-	None Required (1)
15-Year Standard	Coating Only	32-42 (813 - 1067 microns)	Building Owner	-0-	None Required (1)
5-Year System	Foam, Coating & Labor	22-30 (559 - 762 microns)	Building Owner	\$.025/ft <sup>2</sup> Min. \$250.00	Independent (2) & (3)
10-Year System	Foam, Coating & Labor	26-40 (660 - 1016 microns)	Building Owner	\$.04/ft <sup>2</sup> Min. \$600.00	Independent (2) & (4)
15-Year System	Foam, Coating & Labor	34-47 (864 - 1194 microns)	Building Owner	\$.06/ft <sup>2</sup> Min. \$1,500.00	Independent (2) & (5)

\*Dry Film thickness requirements vary depending on protective coating system selected.

- (1) Distributor inspection optional at their discretion. Distributor's certification on Warranty Request Form is **not** required.
- (2) Requires independent inspection—Cost is approximately \$500 to \$1,000 and is to be paid by Contractor. Cost estimate is based on one trip to project site. Cost will be higher if project requires multiple final inspections.
- (3) Under terms of the 5-Year Limited System Warranty, the Contractor is required to perform all remedies during year 1. During year 2 UNITED will provide UNITED COATINGS' products, and Contractor will provide labor and non-UNITED products. During years 3, 4 and 5, UNITED provides all remedies, plus 15% overhead mark-up to Contractor. The original Applicator is contractually bound to perform repairs as required at cost plus 15% for years 3, 4 and 5.
- (4) Under terms of the 10 Year Limited System Warranty, the Contractor is required to perform all remedies during year 1. During years 2 and 3, UNITED will provide UNITED COATINGS' products, Contractor will provide labor and non-UNITED products. During years 4 through 10, UNITED provides all remedies, plus 15% overhead mark-up to Contractor. Original Applicator is contractually bound to perform repairs as required at cost plus 15% for years 4 through 10.
- (5) Under terms of the 15-Year Limited System Warranty, the Contractor is required to perform all remedies during year 1. During years 2,3 and 4 UNITED will provide UNITED COATINGS' products and Contractor will provide labor and non-UNITED products. During years 5 through 15, UNITED provides all remedies, plus 15% overhead mark-up to Contractor. Original Applicator is contractually bond to perform repairs as required at cost plus 15% for years 5 through 15.

For specific details involving the use of any of the above referenced warranties, one should consult the product technical data and application instructions sheets as well as the specific warranty documents pertinent to each type. These documents, where applicable, include but are not limited to Warranty Request Forms, Pre-job Inspection Report Forms, Purchase Order for Completed Job Inspection, and Manufacturer-Contractor Agreement delineating responsibility of each party (System Warranties Only).

### UNITED COATINGS POLICY STATEMENT

All UNITED COATINGS' Systems that are eligible for warranty have been tested and approved over various polyurethane foam materials, having achieved Class A and/or B approvals in accordance with Underwriters Laboratory's 790 test procedures. Consult the current Underwriters Laboratory Directory for specifics relating to any of the classified systems. Granules may be added to any system without altering the classification.

All UNITED COATINGS' roof products bear the Underwriters Laboratories approval label on each container, which signifies that these products are subject to U.L. follow-up service. This service specifically assures that the products, when manufactured, are done so utilizing formulas certified by Underwriters Laboratories to be in compliance with the products tested to obtain the applicable Underwriters Laboratories 790 certification. Subsequently, any products manufactured outside of these formulation procedures cannot bear the Underwriters Laboratory label on the container.

**Beware of those who represent their products to be in compliance—make them prove it. No label on the container means no Underwriters Laboratory follow-up service, therefore no assurance that the product in the container has been manufactured in accordance with the formulations tested by Underwriters Laboratory.**

We are hopeful the above information will prove helpful in your continued sales efforts with UNITED products. As always, we welcome further inquiries to answer any other specific questions.

